



Posicion	Cantidad	Referencia	Descripcion	PG
1	1	341602990	Flecha	33
2	1	141180060	Arandela de seguridad	11
3	1	343362170	Tapa forma disco	20
4	1	143111440	Rodamiento radial	27
5	1	141181560	Arandela de seguridad	11
6	1	314001250	Empuñadura cpl.	26
7	3	341702180	Tornillo	12
8	1	316048270	Carcasa Engran. comp.	39
9	1	340011640	Rueda dent.recta	29
10	1	316055270	Eje de pinon c.embrague a friccion	38
11	1	339210270	Junta.	14
12	1	316022940	Brida de engr. compl.	33
13	1	340011630	Eje de pinion	31
14	1	340011620	Rueda dent.recta	29
15	1	343356500	Anillo obturador	11
16	1	143114880	Rodamiento	14
17	1	330001060	Ventilador	16
18	1	310006220	Inducido cpl. 115 V	43
19	1	143115660	Rodamiento radial	13
20	1	141153400	Arandela	12
21	1	343361780	Brida intermedia	18
22	1	338055240	Placa de características	11
23	1	315012320	Carcasa de motor	29
24	1	338122600	Rueckenschild BE 75-16	12
25	1	316021020	Anilla prensora	22
26	1	343072460	Unidad electronica, 120V/60Hz	36
27	1	341702050	Tornillo	11
28	1	343362350	Mango	26
29	1	344490150	Cordon compl.	13
30	1	141181760	Arandela de seguridad	11
31	1	339111020	Cubierta	11
32	1	342001210	Resorte de presion	11
33	1	343362460	Tecla	11
34	1	143192570	"Anillo ""o""	12
35	1	143192430	"Anillo ""o""	12
36	4	141118260	Torn.alom.para chapa	11
37	1	311008880	Inductor cpl. 115 V	36
38	1	338122370	Etiqueta Metabo,56x25	12
39	1	399999990	parte no necesaria	
40	1	342001140	Pivote	12
41	1	316033740	Escobilla con guía	24

Posicion	Cantidad	Referencia	Descripcion	PG
42	1	316025770	Anillo de ajuste cpl.,R+L	27
43	1	399999990	parte no necesaria	
44	2	141116840	Torn.alom.para chapa	11
45	2	141116970	Tornillo alomado	12
46	6	141116020	Torn.alom.para chapa	12
47	1	343362490	Abrazadera de cable	12
48	1	343361770	Tapa roscada	12
49	1	344100590	Manguito	13
50	1	344490960	Cable con enchufe estadounidense	25
880	1	344130270	Tubo de grasa	22
1001	1	338500130	Esquema de conexion	

